



T E C H N I C A L D A T A S H E E T

Diocetyl Phthalate (MONSOL DOP)

Property:

Our MONSOL DOP has excellent dispersion properties, high plasticising, low volatility, good insulation and low migration.

Application:

MONSOL DOP is commonly used as a PVC plasticiser. It is a colourless and a high-boiling point liquid. MONSOL DOP is highly stable to light and soluble in most solvents and also has a good compatibility with cellulose nitrate.

Item of Analysis	Unit	Value	Test Method
Appearance		Transparent liquid oil	
Colour	APHA	≤ 25	ASTM D1209
Easte content	Wt%	≥ 99.6	GC
Water content	Wt%	≤ 0.1	ASTM E203
Acid value	KOH-mg/g	≤ 0.05	ASTM D1045
Specific gravity	20/20°C	0.986±0.003	ASTM D1298

Packaging:

New iron drums, 200kg net weight per drum, total 80 drums (16MT) in 20'FCL or in flexibag, around 20MT per 20' FCL

Storage:

Keep in a cool, dry and ventilated place.

The above results are typical values and do not constitute a specification.

Please call or email for further information on any of our products

T +44(0)1283 711512 **E** sales@ballance-plastics.co.uk

or visit our **website** www.ballance-plastics.co.uk